

Product Information
Interior | 2016



with detailed care instructions



Dear customer

**Would you like to paint, beautify or maintain your wood?
The coating should dry fast, be easily applied and last for a long
time? Then we from SAICOS always have the right product for
you.**

When developing our products we have taken all your wishes and processing aids into account so that you can treat your wood as simple as possible.

Questions like 'What kind of coating do I need for my project?' and 'How many cans in what kind of size do I need?' we always answer correctly in our consumption calculator.

Via a QR-Code directly on the product itself or at the shelf in a specialist shop you can either click on the technical data sheet or a brand new video with step-by-step explanations.
The QR-codes functions are: helping with the actual buying decision at the shelf, watching the product video at home or as a virtual instruction manual on your 'building site'.

Furthermore, you can expect numerous product novelties and innovations made by SAICOS.

Curious? Discover more on the following pages.

Thanks you very much for your trust.

Your SAICOS team

Introduction	page 2
SAICOS QR-Code	page 4
SAICOS consumption calculator	page 6

Floor coatings

Premium Hardwax-Oil	page 8
Premium Hardwax-Oil Additives	page 9 NEW
Ecoline Hardwax-Oil, Ecoline Hardwax-Oil 'Nature'	page 11
Ecoline Oil Ground Coat	page 12
Ecoline MultiTop^{plus} lacquer system	page 13 NEW
Ecoline Future 2K Premium Sport	page 15
Ecoline Future Universal Ground Coat, Ecoline Ground Coat 'Speed'	page 16
Ecoline Crack-Filler	page 17
Wood Impregnation biocide-free	page 18
Ground Oil Extra Thin	page 19

Interior wood coatings

Color Wax	page 20
UV Protective Wood Finish Interior, Clear Wax	page 21

Tools	page 22
--------------	---------

Cleaning, care & accessories

Wax Care	page 25
Furniture Oil, Polishing Pads	page 26
Ecoline Wash Care	page 27
Ecoline Magic Cleaner, Ecoline Maintenance-Set	page 28
Ecoline Wax Care, Ecoline Refresher	page 29
Ecoline Floor Care Set, Ecoline Floor Clean & Care Set	page 30

Care instructions

for oiled wood surfaces	page 32
for lacquered wood surfaces	page 36
for laminate, vinyl and design floors	page 39

All care products at a glance	page 41
--------------------------------------	---------

FAQ	page 42
------------	---------

The QR-Code from SAICOS

Product application clearly arranged



The QR-Code from SAICOS

Product application clearly arranged



Easy application


Scan QR-Code.
Watch movie.
Know how it works.

Our service for you:

- A technical data sheet as well as a self-explanatory application video per product is available.
- Application video: the correct application with vivid step-by-step explanations.
- Technical data sheet: all that there is to know via a PDF can be clicked on either directly at the shelf or via can label.

SAICOS consumption calculator

Choose application area. Type in square metre. Done.



SAICOS consumption calculator

Choose application area. Type in square metre. Done.



Easy searching – quick finding:
Correct coating made easy.

Are you familiar with that?

... the garden house needs a re-coating.

But: What kind of product is the best choice for a long-lasting effect?

... the decking has been laid.

But: How do I protect it best against weathering?

... square meter is known.

But: How many cans do I need for the coating?

... Brush, roller, floor brush? With what kind of tool
do I get the optimal result?

... where can I buy everything that I need without
forgetting anything?



www.saicos.de

The consumption calculator from SAICOS.

We have the answers.

A superior coating

for permanently beautiful surfaces



Premium Hardwax-Oil

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500
10 l	(Item Number) 700
25 l	(Item Number) 800

For natural, permanently beautiful surfaces that are easy to maintain, we recommend our *Premium Hardwax-Oil*.

The natural ingredients of the hardwax-oil penetrate deeply into the pores of the wood and give the surface a wonderful haptic.

It dries quickly, giving you a high-class surface in just one day.

Surfaces coated with *Premium Hardwax-Oil* can be sanded and partially re-oiled at any time.

No visible contact points and all naturally based, suitable for all wood surfaces.

easy to apply

DIBt approval Z-157.10-4

1 l = 14 m² (2 coats)



3310
Ultra matt
colourless

3305
Matt
colourless

3200
Satin matt
colourless

3035
High gloss
colourless

3100
White
transparent

3317
Silver Grey
transparent

3328
Teak
transparent

3381
Walnut
transparent

3385
Rosewood
transparent

3319
Black
opaque Ultra matt

3299
Effect
transparent

3333
Pure
transparent

The new Premium Hardwax-Oil System

4 additives that are particularly designed for your needs



NEW

NEW Additive UV Protection (3242)

Natural discoloration is a direct result of the wood's exposure to light.

The *Additive UV Protection* reduces the natural discoloration of the wood significantly.



NEW

NEW Additive Anti-Slip R10 (3240)

We can fulfill a big market demand with the *Additive Anti-Slip*. The final coating achieves the certified anti-slip property R10.



NEW

NEW Additive Hardener 2K (3243)

With the *Additive Hardener 2K*, the *SAICOS Hardwax-Oil* dries quicker even under difficult working conditions e.g. high air humidity.

In general, coated surfaces can be walked on earlier and have an improved abrasion hardness. The additive can also be used for the *Ecoline Oil Ground Coat*.



NEW

NEW Additive Fire Protection (3241)

First the *Impregnation Fire Protection (9010)* is rolled then the final coating of *SAICOS Premium Hardwax-Oil* with the *Additive Fire Protection*, achieving the Fire Protection class C_{fl}-s1. Predominantly suitable for objects.





For your green footprint

our innovative and eco-friendly coating system



low-solvent: VOC <10 %

DIBt approval Z-157.10-103

1 l = 35 m² (2 coats)



3600Eco
Satin matt
colourless

Ecoline Hardwax-Oil – satin matt colourless

Can Size	Item Number
0,75 l	3600Eco 300
2,5 l	3600Eco 500
10 l	3600Eco 700

If you want to achieve permanently beautiful, natural surfaces that are easy to care, whilst avoiding solvents, we recommend our *Ecoline Hardwax-Oil*.

The natural ingredients of the hardwax-oil penetrate deeply into the pores of the wood and give the surface a wonderful haptic and satin matt appearance.

It dries quickly, giving you a high-class surface in just one day.

Surfaces coated with *Ecoline Hardwax-Oil* can be sanded and partially re-oiled at any time. No visible contact points and all naturally based, suitable for all wood surfaces.



cobalt-free

1 l = 14 m² (2 coats)



3601Eco
Matt
colourless

3602Eco
Satin matt
colourless

Ecoline Hardwax-Oil 'Nature'

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500
10 l	(Item Number) 700

Developed according to the latest research results: **cobalt-free Hardwax-Oil for rolling.**

Complete coating possible in only one day!

Free choice of final coating

get beautiful wood thanks to the best natural oils



low-solvent: VOC <10 %

variable finish

DIBt approval Z-157.10-103

1 l = approx. 65 m² (1 coat)



Ecoline Oil Ground Coat

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500

Highlight the beauty of your wood with pure natural oil - low-solvent. High-pigmented, for professional usage.

The *Ecoline Oil Ground Coat* has been specially developed for wood, cork and bamboo floors, as well as particularly heavily used pieces of furniture.

It combines an exceptional good abrasion resistance with high durability and emphasises the natural beauty of your wood.

For the final coat, we recommend:

- » *Ecoline Hardwax-Oil* or
- » *SAICOS Premium Hardwax-Oil* or
- » *Ecoline MultiTop^{plus} Lacquer system*

3408Eco
Extra-White
transparent

3409Eco
White
transparent

3410Eco
Colourless
transparent

3413Eco
Birch
transparent

3417Eco
Silver Grey
transparent

3418Eco
Pear
transparent

3422Eco
Chestnut
transparent

3428Eco
Teak
transparent

3438Eco
Mahogany
transparent

3458Eco
Oak
transparent

3474Eco
Basalt Grey
transparent

3477Eco
Graphite
transparent

3479Eco
Antique Grey
transparent

3481Eco
Walnut
transparent

3485Eco
Rosewood
transparent

3490Eco
Ebony
transparent

One lacquer for everything

Ecoline MultiTop^{Plus} – the plus for a perfect floor

We asked ourselves how we can simplify our lacquer range and make it even more efficient at the same time.

The solution: a lacquer for every requirement!

The basis is our *Ecoline MultiTop*; you simply mix in the **additive components**.

The application? Unchanged!

Mix the additives into the lacquer and shake. The coating is ready for use. Whether you want Hardener, Slip-Resistant R10 or UV Protection, we have the right solution for you.



Ecoline MultiTop

Can Size	Item Number
4,55 l	(Item Number) 616

The 1 K lacquer for **extremely high wear** in private areas.
Can also be used without a primer.

low-solvent: VOC < 10 %

DIBt approval Z-157.10-162*

1 l = approx 9 m² (1 coat)



* The DIBt approval is also valid in combination with each of the 7 additives.

9980Eco
Ultra matt
colourless

9985Eco
Matt
colourless

9990Eco
Satin matt
colourless

9995Eco
High gloss
colourless

All possible combinations at a glance:

	Hardener 2K	UV Protection	Extra White	"R10"	Pitch Black	"Slow Down"	Pure
<i>MultiTop</i>	✓	✓	✓	✓	✓	✓	✓
<i>Hardener 2K</i>		✓	✓	✓	✓		✓
<i>UV Protection</i>	✓		✓	✓		✓	
<i>Extra White</i>	✓	✓				✓	
<i>"R10"</i>	✓	✓				✓	✓
<i>"Slow Down"</i>		✓	✓	✓	✓		✓
<i>Pitch Black</i>	✓	✓				✓	
<i>Pure</i>	✓	✓				✓	

The Ecoline MultiTop^{Plus} System

7 new supplements for endless varieties



Hardener 2K (9908Eco)

Enables the production of a very high-quality 2K water-based lacquer which satisfies the highest demands. Also suitable for use with *Ecoline Oil Ground Coat*.

UV Protection (9914Eco)

Significantly reduces the natural colour changes of wood. Also suitable for use with *Ecoline Oil Ground Coat*.



Extra White (9915Eco)

For an extra-white floor, we recommend combining with SAICOS *Oil Ground Coat 3408* / *Ecoline Oil Ground Coat 3408Eco*.

Slip Resistant 'R10' (9916Eco)

The Combination with the supplement Hardener 2K gives you slip resistance R10. Also suitable for use on *Ecoline Oil Ground Coat*.



Delayer 'Slow Down' (9919Eco)

Extends the workability of the lacquer, especially under critical site conditions with high temperatures and low humidity. Also suitable for use with *Ecoline Oil Ground Coat*.

NEW

NEW Pitch Black (9918Eco)

One can accomplish a black surface with extraordinary effect. The structure of the wood and the laying system is still visible.



NEW

NEW Pure (9933Eco)

When rolling the *Ecoline MultiTop* a perfectly protected wood surface can be achieved that looks as if untreated.



The additives '*Speed Up*' (9909Eco) and *Effect 'Silver'* (9917Eco) remain deliverable upon request until further notice.

'Fair play' for your sports floors

with our premium sport coating for the toughest demands

Ecoline Future 2 K Premium Sport – incl. hardener

Can Size	Item Number
5 l	(Item Number)

The special lacquer, specially developed for sports floors (wood and bamboo floors) and particularly heavily used pieces of furniture, for excellent resistance.

Ecoline Future 2 K Premium Sport is delivered as a set containing the lacquer and hardener. The latter clicks into the container, saving space, and only needs to be shaken in.

This easily workable system can also be used without a primer.

According to DIN 18032-2:2001-04.



low-solvent: VOC < 5 %

DIBt approval Z-157.10-161

1 l = approx. 9 m² (1 coat)



interior



2-3x application



easy-care



anti-slip R9



drying time 3-5h



ecological



9970Eco
Satin matt
colourless

9975Eco
Matt
colourless



Special solutions

to complete our lacquer system



low-solvent: VOC < 10 %

DIBt approval Z-157.10-162

1 l = approx. 15 m²



Ecoline Future Universal Ground Coat – colourless

Can Size	Item Number
5 l	9913Eco 610

The low-solvent primer for all SAICOS lacquer combination. *Ecoline Future Universal Ground Coat* has been developed for wood, cork and bamboo floors.

Blocks particularly well against wood components in exotic woods and prevents edge bonding. In addition, the patchy discolouration of the surface due to the aforementioned wood components (so-called bleed-through) is prevented, and the subsequent coat is protected against discolouration, blistering and reduced adhesion.

The watery, natural oil-based primer is easily in usage and offers a high coverage.

For the final coat we recommend:

- » *Ecoline MultiTop^{plus} lacquer system* or
- » *Ecoline Future 2 K Premium Sport*



low-solvent: VOC < 5 %

DIBt approval Z-157.10-162

1 l = approx. 15 m²



Ecoline Roller Ground Coat 'Speed' - colourless

Can Size	Item Number
5 l	9912Eco 610

The special ground coat for rolling with extremely short drying time, coatable after 1 hour.

Film-forming, usable for all European wood species.

Special solutions

to complete our lacquer system



Ecoline Crack-Filler - colourless

Can Size	Item Number
5 l	0970 002Eco

Ecoline Crack-Filler is water-based for simply producing grout from grinding dust.

It dries extremely quickly and has impressive sanding properties.

Suitable for all SAICOS floor primers and coatings, as well as all common wood types that are dry and uncoated.

Application quantity: 80 - 100 g/m².

low-solvent: VOC < 5 %

1 l = approx. 13 m²



interior



application



transparent



13m²

coverage



30'

drying time



Our alternative for biocide wood protection

particularly recommended for wood in moist rooms



protection from moisture

1 l = approx. 8 m²



9000
Satin matt
colourless



Wood Impregnation biocide-free – Satin matt colourless

Can Size	Item Number
0,75 l	9000 300
2,5 l	9000 500
10 l	9000 700
25 l	9000 800

SAICOS Wood Impregnation biocide-free is totally free of organic biocides and is therefore particularly harmless to your wood.

It provides natural protection against moisture damage, penetrates deeply into the wood and keeps it elastic. The wood can still breathe, allowing the moisture to escape. Particularly recommended for treating woods in moist rooms like bathrooms and kitchens, which are at risk of blue stain.

The alternative to biocide or fungal wood protection treatments.

This is not a stand-alone finish.
A final coat must be applied within 1 week. We recommend SAICOS Color Wax or SAICOS Premium Hardwax-Oil.



Special treatment for exotic woods

with our particularly deep-penetrating Ground Oil



especially for exotic woods

DIBt approval Z-157.10-4

1 l = 17 m² (1 coat)



3001
Colourless

3008
Black
transparent

Ground Oil Extra Thin

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500
10 l	(Item Number) 700
25 l	(Item Number) 800

SAICOS Ground Oil Extra Thin is an open-pored primer that penetrates deeply and easily and is recommended as first coat for exotic and hardwoods.

Floors treated with SAICOS Ground Oil Extra Thin and SAICOS Premium Hardwax-Oil repel dirt and water and are extremely resistant. Moisture cannot harm this open-pored coating.

For the final coat we recommend:

» SAICOS Premium Hardwax-Oil



New life for your favorite furniture

and colourful highlights for walls and floors



moisture-regulating

DIBt approval Z-157.10-4

1 l = approx. 21 m² (1 coat)*



Color Wax

Can Size	Item Number
0,75 l	(Item Number) 300
2,5 l	(Item Number) 500

The natural oils used for *SAICOS Color Wax* penetrate deeply into the wood and keep it elastic. Natural waxes protect the surface and ensure high durability and ease care. Perfect for children's toys and all wooden objects.

Ideal for restoring old furniture: gives new life to surfaces, making them both resistant and easy to maintain.

SAICOS Color Wax is excellent for designing colourful wall surfaces and floors made of wood, bamboo and cork. On heavily used wood surfaces (e.g. flooring), we recommend using *SAICOS Premium Hardwax-Oil* as a final coating.

3009 <i>White</i> transparent	3010 <i>Colourless</i> transparent	3013 <i>Birch</i> transparent	3017 <i>Silver Grey</i> transparent
3018 <i>Pear</i> transparent	3021 <i>Pine</i> transparent	3022 <i>Chestnut</i> transparent	3023 <i>Beech</i> transparent
3028 <i>Teak</i> transparent	3032 <i>Cherry</i> transparent	3038 <i>Mahogany</i> transparent	3058 <i>Oak</i> transparent
3081 <i>Walnut</i> transparent	3085 <i>Rosewood</i> transparent	3090 <i>Ebony</i> transparent	
4009 <i>White</i> opaque	4019 <i>Black</i> opaque		

*White and Black opaque:
1 L = approx. 12 m² (2 coats)

Interior finishes

with the little 'extra'



prevents yellowing

1 l = approx. 9 m² (2 coats)



interior



application



drying time



coverage



easy-care



UV protection



ecologically friendly



UV Protective Wood Finish Interior

Can Size	Item Number
0,75 l	(Item Number) 301
2,5 l	(Item Number) 501

Transparent wood finish for all interior woods. Get a natural 'untreated' effect whilst retaining outstanding protection against yellowing and a neat, dirt-repellant surface.

Can only be painted over with the same coating or with *SAICOS Bel Air Special Wood Colour*.

7701
Colourless

7704
White
transparent



moisture-regulating

1 l = approx. 17 m² (1 coat)



interior



application



application



drying time



ecologically friendly



Clear Wax – colourless

Can Size	Item Number
0,75 l	3002 300
2,5 l	3002 500
10 l	3002 700
25 l	3002 800

SAICOS Clear Wax is a deeply and easily penetrating open-pored special finish. Recommended especially for treatment of hardwoods and wood in moist rooms.

Interior woods and furniture treated with *SAICOS Clear Wax* repel dirt and water and are extremely resistant.

SAICOS Clear Wax surfaces are easy to clean, maintain and renovate.

3002
Colourless

Everything for the perfect application

from Flat Brush to Cross Grinding Pad



Cross Grinding Pads (16" / 406 mm)

Grain Size	Item Number
grain 100	0950 797
grain 120	0950 798
grain 150	0950 799

Super Pad (16" / 406 mm)

Colour	Item Number
white	0950 575
green	0950 599
black	0950 623

Roller Handle



Size	Item Number
100 mm	0950 019
250 mm	0950 020

Universal Roller 'Small'



New:
Set of 2 rollers

Size	Item Number
100 mm	0950 007

Floor Brush



Size	Item Number
150 mm	0950 150
220 mm	0950 220

Roller, 250 mm



Product	Item Number
Aqua-Roller	0950 008
Oil/Wax-Roller	0950 013

Thoughtful & approved tools

to make your work easier

Brush Cleaner – benzene-free



Cleans tools after use with oil / wax-based SAICOS wood finishes. Also removes resins.

Can Size	Item Number
1 l	5100 404
10 l	5100 715

Double Blade Scraper - stainless steel



Size	Item Number
270 mm	0950 027

Telescopic handle with click connection

High-quality processed, thick-walled telescopic handle with aluminum tube and ergonomic handpiece. The attached snap connection provides a secure link to all necessary attachments.



Size	Item Number
110 - 220 cm	0950 231

Flat Brush for oil and water systems



Size	Item Number
30 mm	0950 030
50 mm	0950 050
60 mm	0950 060
100 mm	0950 100

Paint Tray 'Small' (15 x 30 cm)



Paint Tray 'Small', for use with the SAICOS Flat Brush and Universal Roller 'Small'. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 227
5x Tray Insert	0950 228

Paint Tray 'Large' (31 x 35 cm)



Large Paint Tray, for use with the SAICOS Rollers and SAICOS Flat Brush. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 229
5x Tray Insert	0950 230



*Care Instruction
oiled wooden floors*



*Care Instruction
lacquered wooden floors*

Cleaning, care & accessories

to make correct care a child's play



regenerative care

1 l = approx. 100 m²



8100
Colourless

8111
White
transparent

Wax Care – for oiled surfaces

Can Size	Item Number
1 l	(Item Number) 404
10 l	(Item Number) 715

SAICOS Wax Care is a naturally based fluid cleaning and care product for wood.

It is specially developed for wood and cork floors with **oiled surfaces**, as well as furniture (desk and table surfaces) and other wood surfaces.

For freshening and caring for heavily worn wood and cork floors. Effortlessly removes stubborn stains, water marks, marks from rubber soles, etc.

Regular care protects, regenerates and freshens the surface.



Wax Care – colourless for oiled surfaces

Can Size	Item Number
0,3 L	8100 180
Counter box with 20 cans	
0,3 l	8116

For easy care and refreshing of all indoor oiled wood surfaces.



8116
Colourless

Cleaning, care & accessories

to make correct care a child's play



water-resistant effect

0,3 l = approx. 7 m² (1 coat)



interior



natural oils



application



drying time



4-7 m²

coverage



easy-care



ecologically friendly



Furniture Oil – colourless

Can Size	Item Number
0,3 l	3311 180
Counter box with 20 cans	
0,3 l	3399

SAICOS Furniture Oil has been specially developed for treatment of furniture surfaces, tables and kitchen work tops, doors and other wooden objects (e.g. wooden toys) in the home. It is easy to apply, very resistant and repels water and dirt.

SAICOS Furniture Oil bonds permanently with the wood, therefore no sanding required in the event of a renovation. It retains the natural beauty, even after years.

3311
Colourless



Polishing Pads (2 pieces)

Product	Item Number
2 pieces	0950 000

Intensive cleaning & care

solvent-free, for all surfaces



solvent-free

suitable for usage with machines

1 l = approx. 700 m²



interior



dirt-repellent



700m²

coverage



R9

anti-slip



easy-care



ecological



Ecoline Wash Care Concentrate for all surfaces

Can Size	Item Number
1 l	8101Eco 409
5 l	8101Eco 610
10 l	8101Eco 710

For **solvent-free** damp cleaning of **all** wood and cork floors and **all other wipeable floors**.

Made of plant soaps and natural care ingredients, it cleans and protects without streaks.

Ecoline Wash Care protects against recontamination and is especially kind to skin.

It's low foam formula makes it suitable for cleaning machines.

Very well-suited for laminate floors.



Intensive cleaning & care

solvent-free, for all surfaces

Ecoline Magic Cleaner for all surfaces

Can Size	Item Number
1 l	8125Eco 409
5 l	8125Eco 610
10 l	8125Eco 710
Spray (ready for use)	
1 l	8126Eco 417

Save yourself the hard work of sanding worn down surfaces.

Ecoline Magic Cleaner –
The perfect solvent-free solution!

Suitable for intensive cleaning of **all wooden surfaces** and all other surfaces such as PVC, linoleum and tile.

Removes nicotine, fat and dirt, e.g. in the kitchen and bathroom.
Suitable for cleaning machines.

1 liter is sufficient for approx. 10 liter of water.

solvent-free



Maintenance-Set

Product	Item Number
Telescopic handle & 2 wipers	8108Eco
Replacement Cloths	
2 pieces	8188Eco

3parts – complete set

Freshening & cleaning

especially eco-friendly, for your oiled and lacquered surfaces

Ecoline Wax Care – for oiled surfaces

Can Size	Item Number
1 l	(Item Number) 409
10 l	(Item Number) 710
Spray (ready for use)	
1 l	(Item Number) 417

Ecoline Wax Care is a naturally based, **solvent-free** fluid cleaning and care product for wood.

It is specially developed for wood and cork floors with **oiled surfaces**, as well as furniture (desk and table surfaces) and other wood surfaces.

For freshening and caring for heavily worn wood and cork floors. Effortlessly removes stubborn stains, water marks, marks from rubber soles, etc.

Regular care protects, regenerates and freshens the surface.

Concentrate / Spray

8119Eco / 8129Eco
Colourless

8111Eco / 8134Eco
White
transparent

Ecoline Refresher – for lacquered surfaces

Can Size	Item Number
1 l	8106Eco 409
5 l	8106Eco 610
10 l	8106Eco 710

Low-solvent care and regeneration concentrate for **lacquered** wood and bamboo surfaces.

It retains the beautiful, clear look of your lacquered surfaces, whilst regenerating them and keeping them looking fresh. Surfaces treated with this product are dirt-repellent and extremely durable.



concentrate & spray

solvent-free

1 l = approx. 200 m²



low-solvent: VOC < 5 %

1 l = 10 l water



All-in-one package for oiled surfaces

cleaning or cleaning & care - the choice is yours



solvent-free

complete set incl. cloths



Floor Care Set – for oiled surfaces

Product	Item Number
Set	8310Eco

We have combined everything you need to **care** for your wood floor in a handy set.

1. Cleaning:

Ecoline Wash Care

For solvent-free wet cleaning
of **all** wood and cork floors and
all other wipeable floors.
1 liter of concentrate

2. Care and protection:

Ecoline Wax Care

For freshening and caring of
heavily used wood and cork floors.
1 liter colourless

Handy accessories:

Application cloths
Instructions for use



solvent-free

complete set incl. cloths



Floor Clean & Care Set – for oiled surfaces

Product	Item Number
Set	8311Eco

We have put together everything that you
need for to **clean and care** for your wood
floor in a practical set:

1. Cleaning:

Ecoline Magic Cleaner

For intensive cleaning of **all** wood surfaces
and **all** other surfaces.
1 liter of concentrate

2. Care and protection:

Ecoline Wax Care

For freshening and caring of
heavily used wood and cork floors.
1 liter colourless

Handy accessories:

Application cloths
Instructions for use



Care Instructions

Cleaning & care of oiled wood surfaces

Regular damp cleaning

Wash Care Concentrate
removes normal dirt
of all wipeable surfaces
gently and thoroughly



Fields of application:

For all wooden and cork floors with waxed / oiled surface and all other floors such as PVC, linoleum, ceramic, tiles ...

Very well suited for laminate floors.

Also for furniture and other interior wood with waxed / oiled or lacquered surface.

Recommended application:



- » Dilute the concentrate with water
(3 caps with approx. 5 l of water).



- » Make sure that the wiping cloth is wrung out carefully
to ensure **damp** cleaning.



- » Wipe dry if required.
- » To remove particularly stubborn stains, as well as for occasionally freshening and caring of **oiled** wood and cork floors, furniture and interior woods, we recommend our *Wax Care*.



- » Heavily worn down **oiled** floors can also be renovated with *Hardwax-Oil*.
- » Please consider our current technical data sheets.

Cleaning & care of oiled wood surfaces

Care & maintenance



Wax Care
removes stubborn stains,
protects and regenerates heavily used
wood and cork floors

Fields of application:

Especially for wooden and cork floors with waxed / oiled surface, as well as furniture (work and table tops) and other wooden surfaces.

Recommended application:



- » Shake well before use.
- » Clean the surfaces to be treated with *Ecoline Wash Care* (recommended application page 32).



- » Apply one cap of wax (for approx. 1 - 2 m²) to the surface and rub in evenly with a cloth.



- » Allow to dry.
- » No visible contact points to non-treated surfaces.



- » Please consider our current technical data sheets.



Also available as ready-to-use spray.

Cleaning & care of oiled wood surfaces

Intensive cleaning

Magic Cleaner Concentrate
quick and intensive cleaning of
all heavily soiled and worn surfaces



Fields of application:

Intensive cleaning of all waxed, oiled or lacquered surfaces. Also for all other surfaces such as PVC, Linoleum, ceramic, tiles, natural stone ...
Easy removal of nicotine, grease and dirt films in bathroom and kitchen.

Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0.5 l with 5 l of water).
- » Put the dilution evenly on the surface with our *Ecoline Maintenance-Set*, wiper or cloth.
- » Do not pour on the surface and do not leave any puddles.



- » Allow to absorb for **5 - 20 minutes**.
- » Re-treat dried areas during this time.



- » Remove any loosened dirt thoroughly with a damp *Ecoline Maintenance-Set*, clean wiper or cloth.
- » Wipe 2 - 3 times with fresh water and a damp cloth. Wipe dry.
- » Repeat the application if necessary.



- » Do not apply on untreated wood / cork surfaces, as this may hamper a subsequent coating.
- » Please consider our current technical data sheets.



Also available as ready-to-use spray.

Cleaning & care of oiled wood surfaces

Repair & renovation of a coating



Premium Hardwax-Oil
restores the original properties
of oiled wood surfaces

Fields of application:

All kinds of indoor wood flooring: parquet, solid wood floors, strip parquet, veneer wood ...

All kinds of cork floors: parquet, cork tiles ...

Also for other high-wear wood surfaces: counter and table tops, furniture and other interior wood – also recommended for children's toys and other wood objects.

Ideal for use in rooms with high humidity such as bathrooms and kitchens.

Recommended application - Repair & Renovation:



- » Clean the surfaces to be treated with *Ecoline Magic Cleaner* (recommended application page 34).



- » The wood surface must be dry and clean.
- » Sand with a *green pad* if necessary.
- » Remove sanding dust thoroughly with a dry cloth and vacuum cleaner.



- » Stir well - do not dilute.
- » Apply thinly and evenly once or twice with a white pad or cloth.



- » Ensure that windows are open during and after application
Oxidative drying – ensure good ventilation.
- » Please consider our current technical data sheets.

Cleaning & care of lacquered wood surfaces

Regular damp cleaning

Wash Care Concentrate
removes normal dirt
of all wipeable surfaces
gently and thoroughly



Fields of application:

For all wooden and cork floors with waxed / oiled surface and all other floors such as PVC, linoleum, ceramic, tiles ...

Very well suited for laminate floors.

Also for furniture and other interior wood with waxed / oiled or lacquered surface.

Recommended application:



- » Dilute the concentrate with water
(3 caps with approx. 5 l of water).



- » Make sure that the wiping cloth is wrung out carefully
to ensure **damp** cleaning.



- » Wipe dry if required.



- » Please consider our current technical data sheets.

Cleaning & care of lacquered wood surfaces

Care & maintenance



Refresher Concentrate
care and regeneration
for lacquered SAICOS surfaces

Fields of application:

Especially for *Ecoline* lacquered flooring made of wood and bamboo. Also well suited for furniture and other interior wood (also lacquered surfaces).

Recommended application:



- » Clean the surfaces to be treated with *Ecoline Wash Care* (recommended application page 36).



- » Dilute *Ecoline Refresher Concentrate* **1:10** with water (e.g. 0.5 l with 5 l of water).



- » Spread evenly on the surface with a damp wiper.



- » Allow to dry.
- » Please consider our current technical data sheets.

Cleaning & care of lacquered wood surfaces

Intensive cleaning

Magic Cleaner Concentrate
quick and intensive cleaning of
all heavily soiled and worn surfaces



Fields of application:

Intensive cleaning of all waxed, oiled or lacquered surfaces. Also for all other surfaces such as PVC, Linoleum, ceramic, tiles, natural stone ...
Easy removal of nicotine, grease and dirt films in bathroom and kitchen.

Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0.5 l with 5 l of water).
- » Put the dilution evenly on the surface with our *Ecoline Maintenance-Set*, wiper or cloth.
- » Do not pour on the surface and do not leave any puddles.



- » Allow to absorb for **5 - 20 minutes**.
- » Re-treat dried areas during this time.



- » Remove any loosened dirt thoroughly with a damp *Ecoline Maintenance-Set*, clean wipe or cloth.
- » Wipe 2 - 3 times with fresh water and a damp cloth. Wipe dry.
- » Repeat the application if necessary.



- » Do not apply on untreated wood / cork surfaces, as this may hamper a subsequent coating.
- » Please consider our current technical data sheets.

Also available as ready-to-use spray.



Cleaning & care of laminate, vinyl and design floors

Regular damp cleaning



Wash Care Concentrate
removes normal dirt
of all wipeable surfaces
gently and thoroughly

Fields of application:

For all wooden and cork floors with waxed / oiled surface and all other floors such as PVC, linoleum, ceramic, tiles ...

Very well suited for laminate floors.

Also for furniture and other interior wood with waxed / oiled or lacquered surface.

Recommended application:



- » Dilute the concentrate with water
(3 caps with approx. 5 l of water).



- » Make sure that the wiping cloth is wrung out carefully
to ensure **damp** cleaning.



- » Wipe dry if required.



- » Please consider our current technical data sheets.

Cleaning & care of laminate, vinyl and design floors

Intensive cleaning

Magic Cleaner Concentrate
quick and intensive cleaning of
all heavily soiled and worn surfaces



Fields of application:

Intensive cleaning of all waxed, oiled or lacquered surfaces. Also for all other surfaces such as PVC, Linoleum, ceramic, tiles, natural stone ...
Easy removal of nicotine, grease and dirt films in bathroom and kitchen.

Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0.5 l with 5 l of water).
- » Put the dilution evenly on the surface with our *Ecoline Maintenance-Set*, wiper or cloth.
- » Do not pour on the surface and do not leave any puddles.



- » Allow to absorb for **5 - 20 minutes**.
- » Re-treat dried areas during this time.



- » Remove any loosened dirt thoroughly with a damp *Ecoline Maintenance-Set*, clean wipe or cloth.
- » Wipe 2 - 3 times with fresh water and a damp cloth. Wipe dry.
- » Repeat the application if necessary.



- » Please consider our current technical data sheets.

Also available as ready-to-use spray.



All care products at a glance

the right solution for all floors



*Ecoline
Wash Care*

*Ecoline
Wax Care*

*Ecoline
Magic
Cleaner*

*Ecoline
Hardwax-Oil*

*Ecoline
Refresher*

Wax Care

*Premium
Hardwax-Oil*

*low-solvent /
solvent-free*



Coating

all

oil

all

oil

lacquer

oil

oil

*Wood and
bamboo floors*

✓

✓

✓

✓

✓

✓

✓

*Table and desk
surfaces*

✓

✓

✓

✓

✓

✓

✓

Furniture

✓

✓

✓

✓

✓

✓

✓

*Ceiling and wall
panels*

✓

✓

✓

✓

Toys

✓

✓

✓

✓

*Laminate, PVC,
others*

✓

✓

*Mix ration with
water / application
quantity*

3 caps
with 5 l

1 cap
for approx.
2 m²

1 : 10

-

0,5 l
with 5 l

1 cap for
approx.
1-2 m²

-

*Available package
sizes*

1 l
5 l
10 l

1 l
5 l
10 l

1 l
5 l
10 l

0,75 l
2,5 l

1 l
5 l
10 l

0,3 l
1 l
10 l

0,75 l
2,5 l
10 l
25 l

Product type

Concentrate

Ready-to-use:
Wax Care
and Spray

Concentrate
and Spray

Ready-to-use
Oil

Concentrate

Ready-to-use:
Wax Care
and Spray

Ready-to-use
Oil

*Application
interval private*

monthly
(or as
required)

2x per year
(or as
required)

annually
(or as
required)

as required

2x per year
(or as
required)

2x per year
(or as
required)

as required

*Application
interval objects*

weekly
(or as
required)

monthly
(or as
required)

2x per year
(or as
required)

as required

monthly
(or as
required)

monthly
(or as
required)

as required

Application



*Coverage
(m² per 1 liter)*

approx.
700 m²

approx.
200 m²

1 liter is
sufficient for
approx. 10
liter of water

approx. 65
m²
(1 coat)

1 liter is
sufficient for
approx. 10
liter of water

approx.
100 m²

approx. 65
m²
(1 coat)

» ***Why does the same transparent paint look so different on different woods?***

The colour result depends on a range of factors. Aside from the wood type and quality, for example, the wood sanding is also important.

We recommend a trial application on the original wood, in order to get the most precise idea possible of the later colour tone.

» ***I have a floor with bevel and would like to coat it with Ecoline Oil Ground Coat.***

What should I do?

Coat the bevel with the *Floor Brush* and buff it with the white pad.

» ***The coloured Oil Ground Coat turned out to be too light. How can I make it darker?***

Ecoline Oil Ground Coat can be applied a second time after drying.

» ***The coloured Oil Ground Coat turned out to be too dark. How can I make it lighter?***

Immediately rub the floor with *SAICOS Premium Hardwax-Oil* and cotton cloths without allowing to dry.

» ***Can I change the gloss level of the final coating by polishing, etc.?***

No, this is not possible. We offer 4 different gloss levels of our *SAICOS Premium Hardwax-Oil* for this reason.

» ***I have a wood floor in the bathroom / kitchen. What should I take into account?***

This floor should be coated just like any normal floor.

However, care of the floor might be more intensive.

» ***There are walking marks in the floor. How do I handle them?***

This surface should be treated with *SAICOS Wax Care* / *Ecoline Wax Care*.

» ***Can I renovate my floor partially?***

Yes. Simply sand the area to be renovated and coat with *SAICOS Premium Hardwax-Oil*. Please observe the technical data sheet.

» ***What should I take into account with underfloor heating?***

The underfloor heating must shut off before coating (2 - 3 days).

Do not switch back on until 8 hours after the final coating.

» ***Is the Ecoline Oil Ground Coat a stand-alone coating?***

No. The oil primer must always be given a top coat after the drying time.

You can choose between the *Hardwax-Oils* and the *Ecoline MultiTop Lacquer System*.

» ***What happens if I have applied too little material during coating?***

The floor looks patchy. Apply another coat.

» ***Can I mix the colours together?***

Yes. The colours of the individual product ranges can be mixed together.
(Do not mix colours from different product ranges!)

» ***The coloured floor has stains after applying the SAICOS Premium Hardwax-Oil. What happened, what should I do?***

Unfortunately, the final coat was applied before the base coat had dried. The floor must be sanded and recoated.

» ***The floor looks too dark after the final coat. How do I make it lighter when the coating has already dried?***

Unfortunately, it must be completely sanded off and recoated.

» ***How can I renovate an old oiled surface?***

Clean it with *Ecoline Magic Cleaner* and wipe with water. After a drying time of 4 hours, coat the entire surface with *SAICOS Premium Hardwax-Oil* / *Ecoline Hardwax-Oil* once (Double Blade Scraper and pad).

» ***The Hardwax-Oil surface is still wet after the specified drying time. What should I do?***

The *Hardwax-Oil* will definitely dry completely. Ensure sufficient ventilation by opening all windows and doors.
If required, a fan can be placed in the doorway.

» ***There are roller marks after applying the SAICOS Premium Hardwax-Oil. What should I do?***

In this case, the floor must be sanded and re-coated after the coating has completely dried.



Our application advice is given to the best of our knowledge and based on experiments, but should only be treated as a non-binding guide. You must still check that the products delivered are suitable for the intended purpose. As we have no control over the application and processing of our products, the user bears full responsibility. The previous product informations shall be deemed invalid following publication of a new brochure. Changes reserved. All images of our product colour palettes are non-binding and may deviate from the original colour.

For more information, please read our current technical data sheets.

Care instructions for sealed parquet and wood flooring in accordance with DIN 18356. To ensure a good atmosphere in the room and to preserve your wood floor, we recommend a room temperature of 20-25 °C and a relative humidity of 55-60%. For more information, please read our current technical data sheets.

Photos: SAICOS COLOUR GmbH / Shutterstock, Inc.



SAICOS COLOUR GmbH

Carl-Zeiss-Str. 3
D-48336 Sassenberg

☎ +49 2583 3037-0
📠 +49 2583 3037-10

info@saicos.de

www.saicos.de



...because we care

Product Information

Exterior | 2016



with detailed care instructions



Dear customer

**Would you like to paint, beautify or maintain your wood?
The coating should dry fast, be easily applied and last for a long
time? Then we from SAICOS always have the right product for
you.**

When developing our products we have taken all your wishes and processing aids into account so that you can treat your wood as simple as possible.

Questions like 'What kind of coating do I need for my project?' and 'How many cans in what kind of size do I need?' we always answer correctly in our consumption calculator.

Via a QR-Code directly on the product itself or at the shelf in a specialist shop you can either click on the technical data sheet or a brand new video with step-by-step explanations.
The QR-codes functions are: helping with the actual buying decision at the shelf, watching the product video at home or as a virtual instruction manual on your 'building site'.

Furthermore, you can expect numerous product novelties and innovations made by SAICOS.

Curious? Discover more on the following pages.

Thanks you very much for your trust.

Your SAICOS team

Introduction	page 2
SAICOS QR-Code	page 4
SAICOS consumption calculator	page 6

Exterior wood coatings

End-Grain Sealing Wax	page 8
Special Wood Oil, Additive Anti-Slip R10	page 9 NEW
Garden Furniture Care Set	page 10
Wood Stain	page 11
House & Garden Colour	page 12
Bel Air Special Wood Colour	page 13
Primer White	page 14
Clear Oil Finish	page 15
Wood Impregnation 9003 & 9005 Aqua	page 16
UV Protective Wood Finish Exterior	page 17
Effect Wood Stain, Greying Wood Stain	page 18

Cleaning & care

Green-Ex, Wood Brightener, Cleaner for WPC	page 19
--	---------

Tools	page 20
--------------	---------

Care instructions

Removal of green-growth	page 23
Removal of greying	page 24
Cleaning of WPC decks	page 25

FAQ	page 27
------------	---------

The QR-Code from SAICOS

Product application clearly arranged



The QR-Code from SAICOS

Product application clearly arranged



Easy application


Scan QR-Code.
Watch movie.
Know how it works.

Our service for you:

- A technical data sheet as well as a self-explanatory application video per product is available.
- Application video: the correct application with vivid step-by-step explanations.
- Technical data sheet: all that there is to know via a PDF can be clicked on either directly at the shelf or via can label.

SAICOS consumption calculator

Choose application area. Type in square metre. Done.



SAICOS consumption calculator

Choose application area. Type in square metre. Done.



Easy searching – quick finding:
Correct coating made easy.

Are you familiar with that?

... the garden house needs a re-coating.

But: What kind of product is the best choice for a long-lasting effect?

... the decking has been laid.

But: How do I protect it best against weathering?

... square meter is known.

But: How many cans do I need for the coating?

... Brush, roller, floor brush? With what kind of tool
do I get the optimal result?

... where can I buy everything that I need without
forgetting anything?



www.saicos.de

The consumption calculator from SAICOS.

We have the answers.

Perfect treatment for front edges

with especially water and dirt-resistant effect



dirt-repellent

highly water-resistant

End-Grain Sealing Wax - colourless

Can Size	Item Number
0,125 L	8131 100
0,75 L	8131 300

Excellent protection for front and cutting edges.

Protects against hairline cracks and minimises bleeding of wood ingredients. Highly water and dirt-repellent, suitable for all wood species.



Premium protection for your decking

for keeping the wood in your yard looking beautiful



perfect long-term protection

for naturally beautiful wood

1 l = approx. 14 m² (2 coats)



0110
Special-Oil
colourless

0112
Larch-Oil
transparent

0113
Bangkirai-Oil
transparent

0116
Pine-Oil for pressure
impregnated wood

0118
Teak-Oil
transparent

0122
White
transparent

0123
Grey
transparent

0180
Black
transparent

Special Wood Oil

Can Size	Item Number
0,75 L	(Item Number) 300
2,5 L	(Item Number) 500
10 L	(Item Number) 700

Ready for summer:
the weather protection and care finish for
wood decking, garden furniture and
terraces.

Whether colourless or transparent,
the SAICOS *Special Wood Oil* offers
excellent protection, especially
for hardwood and precious woods.

The natural oils even the surface,
make it smooth and emphasise
the grain of the wood.

Important for terraces / decking:
surfaces treated with SAICOS *Special Wood Oil* are slip resistant.

NEW



NEW Special Wood Oil Additive Anti-Slip R10

Can Size	Item Number
for 0,75 L	0240 155
for 2,5 L	0240 255

With the additive *Anti-Slip R10* the
SAICOS *Special Wood Oil* obtains anti-slip
property R 10.

Mixing ratio:
The quantity in the additive cans fit the
particular can size 0,75 L and 2,5 L.

Beauty care for your garden furniture

all in one set, suitable for all wood types



complete set incl. cloths



Garden Furniture Care Set

Product	Item Number
Set	8178

We have put together everything that you need for beautiful garden furniture in a handy set:

1. Cleaning:

SAICOS Wood Brightener

Highly effective concentrate that frees natural woods of spoiling greying without abrasion.
1 litre of concentrate

2. Care and protection:

SAICOS Special Wood Oil

The water-repellent care finish for your garden furniture.
1x 0,75 l Teak

Handy accessories:

1x SAICOS Flat Brush 30 mm
Application cloths
Cleaning fleece
Instructions for use

Defy every weather extreme

with nature's help



for naturally beautiful wood

anti-blocking & open-porous

1 l = approx. 13 m² (2 coats)



exterior



application



transparent



natural oils



block resistant



weatherproof



UV protection



Wood Stain

Can Size	Item Number
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

SAICOS Wood Stain ensures excellent weather resistance by permanently bonding with the wood.

Its UV-resistant colour pigments preserve the natural beauty over years.

The natural oils penetrate deeply and protect the breathing, water-resistant and open-porous surface against mould and fungus.

0001
Colourless
transparent

0009
White
transparent

0010
Spruce
transparent

0011
Pine
transparent

0018
Sand
transparent

0030
Swedish Red
transparent

0031
Larch
transparent

0038
Mahogany
transparent

0060
Fir Green
transparent

0070
Pearl
transparent

0071
Rock Grey
transparent

0081
Walnut
transparent

0082
Teak
transparent

0086
Oak
transparent

0089
Rosewood
transparent

0091
Ebony
transparent

0092
Anthracite
transparent



Show your true colours

and no worries to wind and weather



House & Garden Colour

Can Size	Item Number
0,75 L	(Item Number) 300
2,5 L	(Item Number) 500
10 L	(Item Number) 700

Special opaque wood coating on natural oil base which permanently bonds to the wood and makes it extremely weather-resistant.

It does not flake or scale and requires in case of renovation just a new coat on the cleaned surface.

The satin matt surface covers wood tone and grain, but leaves the structure of the wood visible.

Anti-blocking properties make it perfect for windows.



exterior



application



opaque



natural oils



weatherproof



block resistant



ecological



2001
White
opaque

2100
Ivory
opaque

2101
Sahara Yellow
opaque

2110
Pine Yellow
opaque

2301
Swedish Red
opaque

2310
Bordeaux Red
opaque

2320
Orient Red
opaque

2500
Dove Blue
opaque

2510
King's Blue
opaque

2520
Azure
opaque

2600
Reed Green
opaque

2610
Fir Green
opaque

2669
English Green
opaque

2700
Agate Grey
opaque

2701
Rock Grey
opaque

2710
Granite Grey
opaque

2800
Sand Beige
opaque

2801
Hazel
opaque

2810
Earth Brown
opaque

2900
Graphite
opaque

Bring some colour into your life

solvent-free and extremely weather-resistant



Bel Air Special Wood Colour

Can Size	Item Number
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

Brightly coloured garden features are in fashion and give your 'green living room' a particularly modern and unique look.

With the SAICOS Bel Air Special Wood Colour, we combine the advantages of a proven, breathing, oil-based finish with the beneficial properties of a dirt-insensitive, dilutable finish.

Colour pigments with high UV-resistance ensure long lasting beauty.

solvent-free

opaque & transparent

1 l = approx. 8,5 m² (2 coats)



7200
White
opaque

7221
Ivory
opaque

7223
Orange Yellow
opaque

7224
Canola Yellow
opaque

7230
Swedish Red
opaque

7235
Ruby Red
opaque

7251
Dove Blue
opaque

7253
Saphire Blue
opaque

7255
Azure
opaque

7260
Fir Green
opaque

7261
Reed Green
opaque

7271
Agate Grey
opaque

7273
Iron Grey
opaque

7280
Greyish Brown
opaque

7281
Earth Brown
opaque

7292
Pine
transparent

7293
Red Cedar
transparent

7294
Mahogany
transparent

7298
Walnut
transparent

For a clear appearance

we recommend using our Primer White as a base coat



against sweeping branches

1 l = approx. 12 m² (1 coat)



Primer White

Can Size	Item Number
0,75 L	7050 301
2,5 L	7050 501
10 L	7050 701

Do your white panels soon look like a Dalmatian's fur?

We have the solution against penetrating knots that can quickly spoil the beautiful appearance: *SAICOS Primer White*.

The primer ensures a perfectly even surface and successfully covers unwanted knots and wood discolourations.

SAICOS Primer White significantly increases the durability of the wood thanks to its water-repellent properties that protect the surface.

This is not a stand-alone finish.
We recommend using two opaque coats of *SAICOS Bel Air Special Wood Colour* as final coat.



For natural beautiful wood

with strong dirt and water repellent properties



Clear Oil Finish – biocide-free & colourless

Can Size	Item Number
0,75 L	0111 300
2,5 L	0111 500
10 L	0111 700

Colourless oil coating with natural oil base for a natural end product with excellent dirt and water-repellent properties.

Can also be used as a base coat for soft woods to even out the absorbing for subsequent open-porous finishes.

easy care

1 l = approx. 17 m² (1 coat)



exterior



application



natural oils



weatherproof



coverage



dirt-repellent



ecological



Say goodbye to rot and mildew

with our dirt-repellent products



against rot & mildew

1 l = approx. 5 - 6 m² (1 coat)



Wood Impregnation 9003

Can Size	Item Number
0,75 L	9003 301
2,5 L	9003 501
10 L	9003 701

Solvent-based, colourless wood impregnation for protecting against rot, blue stain and mildew.

For use with
all solvent-based finishes such as:
SAICOS House & Garden Colour.

Use biocides safely. Always read the label and product information before use.



against rot & mildew

1 l = approx. 6 - 12,5 m² (1 coat)



Wood Impregnation 9005 Aqua

Can Size	Item Number
0,75 L	9005 301
2,5 L	9005 501
10 L	9005 701

Water-based, colourless wood impregnation for protecting against rot, blue stain and mildew.

For use with
all water-based finishes such as:
SAICOS Bel Air Special Wood Colour.

Use biocides safely. Always read the label and product information before use.

Protect your wood against the sun

high UV resistance for long-lasting beauty



delays yellowing

open-porous

1 l = approx. 13 m² (2 coats)



UV Protective Wood Finish Exterior

Can Size	Item Number
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

Wood that is exposed to sunlight and UV radiation will weather and become noticeably greyer.

Thanks to long-term UV protection, you can counter this process and permanently preserve the beauty of your wood.

The water-repellent and moisture-regulating properties of the SAICOS UV Protective Wood Finish Exterior also prevent additional swelling and shrinking of the wood.

Applicable as either (double) coat on its own for a 'natural' look, or as satin matt final coat for all SAICOS exterior finishes.

1101
Colourless

1111
Pine
transparent

1138
Mahogany
transparent

1171
Grey
transparent

1181
Walnut
transparent

Sparkling elegance for your wood facades

silver, titanium, gold or pearl - the choice is yours



for roughly sawn wood

1 l = approx. 5 m² (2 coats)



7696
Effect Silver
transparent

7697
Effect Titanium
transparent

7698
Effect Gold
transparent

1199
Effect Pearl
colourless

Effect Wood Stain

Can Size	Item Number
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

Give your **roughly sawn wood** an elegant, slightly metallic effect.

The finish is open-porous and highly resistant against all kinds of weather effects and mechanical damage, bonds permanently to the wood.



moisture-regulating

1 l = approx. 10 m² (1 coat)



7620
Graphite Grey

7630
Stone Grey

Greying Wood Stain

Can Size	Item Number
0,75 L	(Item Number) 301
2,5 L	(Item Number) 501
10 L	(Item Number) 701

SAICOS *Greying Wood Stain* naturally protects your wood facades and garden woods against uneven and patchy greying.

Colour pigments with high UV-resistance ensure permanent beauty and a flowing transition to natural greying.

The natural oils of SAICOS *Greying Wood Stain* penetrate deeply into the wood to protect it from the inside and keep it elastic and highly durable.

SAICOS *Greying Wood Stain* is suitable for smooth and sawn wood and dries quickly.

One coat is sufficient – the rest is done by nature.

Breathe new life into your wood

with our thoroughly developed cleaners



Green-Ex – Concentrate

Can Size	Item Number
1 l	8120 410
5 l	8120 610
10 l	8120 710

Effective and biological degradable concentrate for effortless removal of mould and similar infestations.

Suitable for treated and untreated woods. Cleans automatically, thoroughly and preventively. Protects against new infestations.



Wood Brightener – Concentrate

Can Size	Item Number
1 l	8130 410
5 l	8130 610
10 l	8130 710

Highly effective concentrate that frees natural woods of spoiling greying without sanding.

Suitable for all wood types. Does not damage the wood.



Cleaner for Wood-Plastic-Composite (WPC) Concentrate

Can Size	Item Number
1 l	8123 409

This concentrate was specially developed for simple and thorough cleaning of WPC terraces.

It is low-solvent, chlorine and bleach-free and is biodegradable.

Everything for the perfect application

from Flat Brush to Cross Grinding Pad



Cross Grinding Pads (16" / 406 mm)

Grain Size	Item Number
grain 100	0950 797
grain 120	0950 798
grain 150	0950 799

Super Pad (16" / 406 mm)

Colour	Item Number
white	0950 575
green	0950 599
black	0950 623

Roller Handle



Size	Item Number
100 mm	0950 019
250 mm	0950 020

Universal Roller 'Small'



Set of 2 rollers

Size	Item Number
100 mm	0950 007

Floor Brush



Size	Item Number
150 mm	0950 150
220 mm	0950 220

Roller, 250 mm



Product	Item Number
Aqua-Roller	0950 008
Oil/Wax-Roller	0950 013

Thoughtful & approved tools

to make your work easier

Brush Cleaner – benzene-free



Cleans tools after use with oil / wax-based SAICOS wood finishes. Also removes resins.

Can Size	Item Number
1 l	5100 404
10 l	5100 715

Double Blade Scraper stainless steel



Size	Item Number
270 mm	0950 027

Telescopic handle with click connection

High-quality processed, thick-walled telescopic handle with aluminum tube and ergonomic handpiece. The attached snap connection provides a secure link to all necessary attachments.



Size	Item Number
110 - 220 cm	0950 231

Flat Brush for oil and water systems



Size	Item Number
30 mm	0950 030
50 mm	0950 050
60 mm	0950 060
100 mm	0950 100

Paint Tray 'Small' (15 x 30 cm)



Paint Tray 'Small', for use with the SAICOS Flat Brush and Universal Roller 'Small'. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 227
5x Tray Insert	0950 228

Paint Tray 'Large' (31 x 35 cm)



Large Paint Tray, for use with the SAICOS Rollers and SAICOS Flat Brush. Tray inserts can be ordered separately in 5-piece sets.

Product	Item Number
Paint Tray	0950 229
5x Tray Insert	0950 230



Care instructions

Removal of green-growth

suitable for all exterior woods, natural stone terraces and lime brick



Green-Ex Concentrate
removes mould from all exterior woods,
including natural and artificial stone terraces

Fields of application:

For all exterior materials: stone, cement, roof tiles, aggregate concrete, sand-lime brick, ceramic, tiles, clay, plastic, glass, paints and varnishes ...

Also for coated / uncoated exterior wood: wooden decking, garden furniture, pergolas, trellis, fences ...

Recommended application:



- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.
- » Surface should not be wet.



- » Dilute SAICOS Green-Ex concentrate **1:10** with water, depending on the degree of mould.
- » Use undiluted against stubborn infestation.



- » Simply apply with a garden sprayer, watering can, brush or SAICOS Flat Brush.
- » For small areas like garden furniture, allow to absorb for approx. 1 hour and either wipe off or rinse with water. For large areas like stone paving, only apply – no rinsing required.



- » If there are any remaining mould areas, simply repeat the process above.
- » Please consider our current technical data sheets.

Removal of unsightly greying

suitable for garden furnitures, terraces, plant boxes and claddings



Wood Brightener Concentrate
*brightens natural exterior woods
without sanding*

Fields of application:

Garden furniture, wood decking and terraces, plant boxes, wooden grilles on balconies, wooden claddings etc. made of untreated wood.

Recommended application:



- » Remove coarse dirt (sweep or brush off).
- » Protect metal (e.g. fittings) through masking, cover plants with foil, protect clothing.
- » Moisten the surfaces to be treated



- » Dilute the concentrate **1:5** with water, depending on the degree of greying.
- » Use undiluted against stubborn infestation.



- » Apply thickly with a brush or scrubber.
- » Allow to absorb for **15 – 30 minutes**.



- » After this time, wash off with a hard brush or scrubber and lots of water. Rinse the wood well with water.
- » If there are any remaining grey areas, simply repeat the process above.
- » Please consider our current technical data sheets.

Thorough cleaning of WPC terraces

free of bleach, especially for Wood-Plastic-Composite



Cleaner for Wood-Plastic-Composite (WPC)
cleans quickly and intensively
terraces made from wood / plastic composite

Fields of application:

For the simple and thorough cleaning especially of WPC (Wood-Plastic-Composite) decking.

Recommended application:



- » Dilute the concentrate **1:10** with water (e.g. 0,5 l with 5 l water) and spread evenly on the WPC surface using the *SAICOS Floor Brush*.
- » Do not leave puddles.



- » Allow to absorb for **5 – 20** minutes.
- » Re-treat dried areas during this time.



- » Remove dissolved dirt with wiper, grooves may be cleaned with a scrubbing brush.
- » Wipe afterwards 2–3 times with clear water.



- » If there are any remaining dirty areas, simply repeat the process above.
- » Please consider our current technical data sheets.



- » ***Can I apply SAICOS Bel Air Special Wood Colour to a surface that has been treated with SAICOS House & Garden Colour?***

This is not possible without sanding first.

- » ***Can I apply SAICOS House & Garden Colour to a surface that has been treated with SAICOS Bel Air Special Wood Colour?***

Yes, this is possible without sanding. Clean the surface thoroughly before application.

- » ***Does a final coat of SAICOS UV Protective Wood Finish Exterior provide additional UV protection for the existing coat?***

Yes. SAICOS UV Protective Wood Finish Exterior provides an additional UV protection.

- » ***I have wood with a lot of knots. How can I prevent knots penetrating?***

We recommend using SAICOS Primer White as a base coat.

- » ***Can I use SAICOS Bel Air Special Wood Colour for doors and windows?***

No. SAICOS Bel Air Special Wood Colour does not have anti-blocking properties. This means that the application film at the point where two coated surfaces meet cannot be separated without causing damage. We recommend our favorites for windows and doors, our anti-blocking SAICOS House & Garden Colour.

- » ***Why does the same transparent paint look so different on different woods?***

The colour result depends on a range of factors. Aside from the wood type and quality, for example, the wood sanding is also important.

We recommend a trial application on the original wood, in order to get the most precise idea possible of the later colour tone.

- » ***Does white SAICOS House & Garden Colour yellow in light/dark areas, such as in winter gardens or the undersides of roofs?***

No. Since we use high quality pigments for all our paints, they do not yellow.

- » ***How can I protect the cutting edges of my wooden deck from water?***

Coat them with our SAICOS End-Grain Sealing Wax.

- » ***Should I coat the cutting edges of my wooden terrace before or after coating with Special Wood Oil?***

Please coat your terrace with SAICOS Special Wood Oil first.

You can then treat the cutting edges with SAICOS End-Grain Sealing Wax.

Our application advice is given to the best of our knowledge and based on experiments, but should only be treated as a non-binding guide. You must still check that the products delivered are suitable for the intended purpose. As we have no control over the application and processing of our products, the user bears full responsibility. The previous product informations shall be deemed invalid following publication of a new brochure. Changes reserved. All images of our product colour palettes are non-binding and may deviate from the original colour.

For more information, please read our current technical data sheets.

Fotos: SAICOS COLOUR GmbH / Shutterstock, Inc.



SAICOS COLOUR GmbH

Carl-Zeiss-Str. 3
D-48336 Sassenberg

☎ +49 2583 3037-0
📠 +49 2583 3037-10

info@saicos.de

www.saicos.de



...because we care